





### **UTILITY & LANDSCAPE TRAILERS**



•295A •305A •355A •355A-R5 •355A-R5X



•4555 •45LA •50LA •605P •70PI •10PI •12PI •14PI



•30AA •35AA •305V •355V •30L5 •35L5 •70TV •70LR

# BEST TRAILER. BEST PRICE.

OUR FULL LINEUP OF SINGLE AXLE, TANDEM AXLE, AND LANDSCAPE TRAILERS PROVIDE THE DURABILITY
AND VERSATILITY TO GET THE JOB DONE, AT A PRICE YOU CAN AFFORD!



When you look at a Big Tex Trailer, you are looking at more than tires and steel. You are looking at the nation's best trailer, designed with work in mind. Our innovation, quality, and value are the three key points that you should notice each and every time that you look at our products. Our experienced team of engineers has placed an extensive amount of time and research into making sure that every time you pull your Big Tex Trailer, you are pulling a trailer that can handle the most difficult loads. Take a look at our products and see why our trailers work harder and last longer.

### WHY BIG TEX?



#### DEXTER BRAND AXLES

Clearly the best axle in the industry, Dexter Axles combine quality, value, and consistency-far above any other axle on the market today! Dexter parts are readily available at thousands of dealerships throughout the country.




### PIPE TOP RAILS ON UTILITIES

Tough work calls for tough trailers, that's why all Big Tex utility trailers are equipped with pipe top rails. Our top rails keep your trailer square and allow them to hold up to the rigorous tests that our customers put them through.



#### FLUSH MOUNTED L.E.D. LIGHTING

When you look at our lighting, you will notice that we use the safest lighting in the industry, LED lighting. This lighting is brighter, more dependable, and uses less power from the tow vehicle. Furthermore, LED lighting lasts longer than conventional incandescent lights, hands down!



#### CAMBERED AXLES ON TANDEMS

When tire wear and load balance are important, Big Tex has you in mind. Our cambered axles are designed to properly distribute weight and reduce tire wear when your unit is loaded to rated capacity so that you don't have to worry about uneven distribution and tire wear.



### TREATED PINE

We install treated pine floors on all of our units so that you are not assuming the costly maintenance of replacing floors annually. Whether you are in the heat of summer or tough winter conditions, our floors will hold up to the test. (Douglas fir floors are standard in our product built in Caldwell, ID)



### REAR TAIL

Many Big Tex trailers come standard with a rear tail board, making for a clean rear on our utility trailers. These boards keep wiring out of harms way and prevent lighting issues.



#### AUTOMOTIVE GRADE FINISH

Big Tex Trailers aren't just painted. Our proprietary 13 step coating process not only makes for a beautiful finish, but you can also rest assured that our units will hold up when the conditions don't!



### NATM & D.O.T.

When you buy a Big Tex Trailer, rest assured that our trailers have been thoroughly designed, inspected, and legal to haul on all highways in the United States and Canada. Our lighting, reflectors, axles connections, and couplers are all rated and tested to ensure that you never have to worry about what you are pulling!



### HEAVY DUTY RAMP GATES

Use our ramp gates and you will quickly see why we're proud of our gates. Big Tex Ramp gates all have tube steel, sure to withstand the loading and unloading of the payload of our trailers. Compare to conventional angle iron gates and you will notice that our gates are heavier-tube steel and expanded metal.



#### EZ LUBE HUBS

While most manufacturers don't offer the little things to help you keep your trailer rolling, Big Tex Trailers has your needs lubed. You can ensure that your Dexter Axles are always lubed with our state of the art Dexter EZ Lube System. Simply pull off the grease cap and get to work, no mess or costly maintenance bills.



#### CHANNEL IRON TONGUES

When it comes to trailers, Big Tex has designed the industry's best tongue anywhere. We utilize channel to reduce condensation and rust in our tongues to ensure that the tongue on your unit will not flex or fail when loaded. Our channel is stronger and thicker than many tube steel tongues in the marketplace.



#### NEV-R-ADJUST ELECTRIC BRAKES

Hauling a heavy load always takes heavy braking. At Big Tex Trailers, we have the best braking system in the business, hands down. Keep your brakes calibrated and ensure that you never have to worry about stopping when the unexpected occurs.

# **UTILITY & LANDSCAPE TRAILERS**











MODEL	29SA	30SA	35SA	35SA-RS	35SA-RSX
GVWR	2,995 lb.	2,995 lb.	2,995 lb.	2,995 lb.	2,995 lb.
COUPLER	2" A-Frame	2" A-Frame	2" A-Frame	2" A-Frame	2" A-Frame
SAFETY CHAINS	1/4" Grd. 30 w/Safety Latch Hook	1/4" Grd. 30 w/Safety Latch Hook	1/4" Grd. 30 w/Safety Latch Hook	1/4" Grd. 30 w/Safety Latch Hook	1/4" Grd. 30 w/Safety Latch Hook
JACK	2K Top Wind (Bolted On)	2K Top Wind (Bolted On)	2K Top Wind (Bolted On)	2K Top Wind (Bolted On)	2K Top Wind (Bolted On)
TOP RAIL	1-5/8" OD Pipe	2" Pipe	2-3/8" Pipe	2" Square Tube	2" Square Tube
FRAME	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	4" x 3" x 1/4" Angle	4" x 3" x 1/4" Angle
CROSSMEMBERS	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle
FENDERS	9" x 32" Rolled w/ Formed Back	9" x 32" Rolled w/ Formed Back	9" x 32" Rolled w/ Formed Back	9" x 32" Rolled w/ Formed Back	9" x 32" Rolled w/ Formed Back
AXLES	3,500 lb EZ Lube w/Brake Flanges	3,500 lb EZ Lube w/Brake Flanges			
SUSPENSION	Multi-Leaf Slipper Spring	Multi-Leaf Slipper Spring	Multi-Leaf Slipper Spring	Multi-Leaf Slipper Spring	Multi-Leaf Slipper Spring
BRAKES	N/A	N/A	N/A	N/A	N/A
TIRES	ST205/75-15 Load Range C	ST205/75-15 Load Range C	ST205/75-15 Load Range C	ST205/75-15 Load Range C	ST205/75-15 Load Range C
WHEELS	15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt
FLOOR	2" Treated Pine	2" Treated Pine	2" Treated Pine	2" Treated Pine	2" Treated Pine
LIGHTS	D.O.T. Stop, Tail, Turn, & Clearance	LED D.O.T. Stop, Tail, Turn, & Clearance			
RAMPS	Optional 4' Rampgate	Optional 4' Rampgate	Optional 4' Rampgate	Optional 4' Rampgate	Optional 4' Rampgate
LENGTHS	10 ft., 14 ft.	30SA-8 ft., 10 ft., 12 ft., 14 ft.	35SA-10 ft.,12 ft., 14 ft.	RS-12 ft., 14 ft.	RSX-12 ft., 14ft.
WIDTH	5 ft.	5 ft.	77"	77"	83"













45SS	45LA	50LA	60SP	70PI
4,490 lb	4,500 lb	5,000 lb	6,000 lb	7,000 lb
2" A-Frame	2" A-Frame	2" A-Frame	2" A-Frame	7K 2" Forged Coupler
1/4" Grd. 30 w/Safety Latch Hook	1/4" Grd. 30 w/Safety Latch Hook	1/4" Grd. 30 w/Safety Latch Hook	1/4" Grd. 70 w/Safety Latch Hook	1/4" Grd. 70 w/Safety Latch Hook
2k Top Wind (Bolted on)	2k Top Wind (Bolted on)	2k Top Wind (Bolted on)	2k Top Wind (Bolted on)	2k Top Wind (Bolted on)
2-3/8" Pipe Top Rail	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	2-3/8" Pipe Square Back	2-3/8" Pipe Square Back
3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	4" x 3" x 1/4" Angle	4" x 3" x 1/4" Angle
3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle
9" x 72" Rolled w/ Formed Back	9" x 72" Rolled w/ Formed Back	9" x 72" Rolled w/ Formed Back	9" x 72" Rolled w/ Formed Back	9" x 72" Rolled w/ Formed Back
Two 3,500 lb EZ Lube Axles	Two 3,500 lb. EZ Lube Axles	Two 3,500 lb EZ Lube Axles	Two 3,500 lb EZ Lube Axles	Two 3,500 lb EZ Lube Axles
Multi-Leaf Spring w/Equalizer	Multi-Leaf Spring w/Equalizer	Multi-Leaf Spring w/Equalizer	Multi-Leaf Spring w/Equalizer	Multi-Leaf Spring w/Equalizer
Electric Brake (One Axle)	Electric Brake (One Axle)	Electric Brake (One Axle)	Electric Brake (One Axle)	Electric Brake (One Axle)
ST205/75-15 Load Range C	ST205/75-15 Load Range C	ST205/75-15 Load Range C	ST205/75-15 Load Range C	ST205/75-15 Load Range C
15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt
2" Treated Pine	2" Treated Pine	2" Treated Pine	2" Treated Pine	2" Treated Pine
D.O.T. Stop, Tail, Turn, & Clearance	LED D.O.T. Stop, Tail, Turn, & Clearance	LED D.O.T. Stop, Tail, Turn, & Clearance	D.O.T. Stop, Tail, Turn, & Clearance	LED D.O.T. Stop, Tail, Turn, & Clearance
Optional 4' Rampgate	Optional 4' Rampgate	Optional 4' Rampgate or 4' Slide In Ramps	Optional 4' Rampgate or 4' Slide In Ramps	Optional 4' Rampgate or 4' Slide In Ramps
16 ft	10 ft, 12 ft, 14 ft	10 ft, 12 ft, 14 ft, 16 ft, 18 ft	12 ft, 14 ft, 16 ft	14 ft, 16 ft, 18 ft, 20 ft
77"	60"	77"	77"	83"


## UTILITY & LANDSCAPE TRAILERS











MODEL	10PI	12PI	14PI	30AA	35AA
GVWR	9,990 lb	12,000 lb	14,000 lb	2,995 lb.	2,995 lb.
COUPLER	Forged 2-5/16"	Forged 2-5/16"	Adjustable 14K Cast 2-5/16"	2" A-Frame	2" A-Frame
SAFETY CHAINS	1/4" Grd. 70 w/Safety Latch Hook	1/4" Grd. 70 w/Safety Latch Hook	3/8" Grd. 70 w/Safety Latch Hook	1/4" Grd. 30 w/Safety Latch Hook	1/4" Grd. 30 w/Safety Latch Hook
JACK	7k Drop Leg (Bolted On)	7k Drop Leg (Bolted On)	7k Drop Leg (Bolted On)	2K Top Wind (Bolted On)	2K Top Wind (Bolted On)
TOP RAIL	2-7/8" Pipe Square Back	2-7/8" Pipe Square Back	3" Square Tube Square Back	N/A	N/A
FRAME	5" x 3" x 1/4" Angle	5" x 3" x 1/4" Angle	5" x 3" x 5/16" Angle	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle
CROSSMEMBERS	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	3" Channel on 16" Centers	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle
FENDERS	9" x 72" Tear Drop, Smooth w/Back	9" x 72" Double Broke Diamond Plate w/Back	9" x 72" Double Broke Diamond Plate w/Back	9" x 32" Rolled w/ Formed w/ Back	9" x 32" Rolled w/ Formed w/ Back
AXLES	Two 5,200 lb EZ Lube Axles	Two 6,000 lb EZ Lube Axles	Two 7,000 lb EZ Lube Axles	3,500 lb EZ Lube w/Brake Flanges	3,500 lb EZ Lube w/Brake Flanges
SUSPENSION	Multi-Leaf Spring w/Equalizer	Multi-Leaf Slipper Spring w/ Equalizer	Multi-Leaf Slipper Spring w/ Equalizer	Multi-Leaf Slipper Spring	Multi-Leaf Slipper Spring
BRAKES	Electric Brakes (Both Axles)	Electric Brakes (Both Axles)	Electric Brakes (Both Axles)	N/A	N/A
TIRES	ST225/75-15 Load Range D	ST235/80 R-16 Load Range E	ST235/80 R-16 Load Range E	ST205/75-15 Load Range C	ST205/75-15 Load Range C
WHEELS	15 x 6 White Spoke 6 Bolt	16 x 6 White Spoke 8 Bolt	16 x 6 White Spoke 8 Bolt	15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt
FLOOR	2" Treated Pine	2" Treated Pine	2" Treated Pine	2" Treated Pine	2" Treated Pine
LIGHTS	D.O.T. Stop, Tail, Turn, & Clearance	D.O.T. Stop, Tail, Turn, & Clear- ance	D.O.T. Stop, Tail, Turn, & Clear- ance	D.O.T. Stop, Tail, Turn, & Clearance	D.O.T. Stop, Tail, Turn, & Clearance
RAMPS	4' Slide in Ramps, Ramp Gate/ Stand Up Ramps Optional	4' Slide in Ramps, Ramp Gate/ Stand Up Ramps Optional	4' Slide in Ramps, Ramp Gate/ Stand Up Ramps Optional	4' Rampgate	4' Rampgate
LENGTHS	14 ft, 16 ft, 18 ft, 20 ft	14 ft, 16 ft, 18 ft, 20 ft	16 ft, 18 ft, 20 ft	30AA-10 ft.	35AA-10 ft.
WIDTH	83"	83"	83"	60"	77"

















30SV	35SV	30LS	35LS	70TV	70LR
2,995 lb.	2,995 lb.	2,995 lb.	2,995 lb.	7,000 lb	7,000 lb
2" A-Frame	2" A-Frame	2" A-Frame	2" A-Frame	7K 2" Forged Coupler	7K 2" Forged Coupler
1/4" Grd. 30 w/Safety Latch Hook	1/4" Grd. 70 w/Safety Latch Hook	1/4" Grd. 70 w/Safety Latch Hook			
2K Top Wind (Bolted On)	2k Top Wind-Set Back (Bolted on)	2k Top Wind-Set Back (Bolted on)			
30SV - 2" Pipe 35SV - 2-3/8" Pipe	30SV - 2" Pipe 35SV - 2-3/8" Pipe	3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle	2-3/8" Pipe Top Rail	2-3/8" Pipe Top Rail
3" x 2" x 3/16" Angle	4" x 3" x 1/4" Angle	4" x 3" x 1/4" Angle			
3" x 2" x 3/16" Angle	3" x 2" x 3/16" Angle				
9" x 32" Rolled w/ Formed w/ Back	9" x 72" Tear Drop w/ Back	9" x 72" Tear Drop w/ Back			
3,500 lb EZ Lube w/Brake Flanges	Two 3,500 lb EZ Lube Axles	Two 3,500 lb EZ Lube Axles			
Multi-Leaf Slipper Spring	Multi-Leaf Slipper Spring	Multi-Leaf Slipper Spring	Multi-Leaf Slipper Spring	Multi-Leaf Spring w/Equalizer	Multi-Leaf Spring
N/A	N/A	N/A	N/A	Electric Brake (One Axle)	Electric Brake (One Axle)
ST205/75-15 Load Range C	ST205/75-15 Load Range C				
15 x 5 White Spoke 5 Bolt	15 x 5 White Spoke 5 Bolt				
2" Treated Pine	2" Treated Pine				
D.O.T. Stop, Tail, Turn, & Clearance	D.O.T. Stop, Tail, Turn, & Clear- ance	D.O.T. Stop, Tail, Turn, & Clear- ance			
Optional 4' Rampgate	Optional 4' Rampgate	4' Rampgate	4' Rampgate	Optional 4' Rampgate	4' Rampgate
30SV-8 ft., 10 ft, 12 ft.	35SV-10 ft., 12 ft.	30LS-10 ft.	35LS- 10 ft., 12 ft., 14 ft.	12 ft, 14 ft, 16 ft	14 ft, 16 ft
60"	77"	60"	83"	83"	83"





For over thirty years, Big Tex Trailers has been the top utility trailer manufacturer in the country. When you tow a Big Tex Trailer, you will not worry about your trailer, replacement parts, or towing issues as our products are thoroughly designed by the best engineers in our industry. Our trailers are equipped with components that are readily available and can be serviced by any of our dealers across the US and Canada. Whether you are searching for a small utility or a 50,000 lb. heavy equipment hauler, you will quickly notice that our trailers have the best components anywhere!

Our success is due in large part to our 400 plus independent dealers across North America who are dedicated to servicing your needs each and every day. Our dealers have more inventory, better parts selection, and more experienced service shops than any manufacturer in the country.

Take a look around and quickly see why so many working professionals choose Big Tex above any other!

Big Tex Trailers currently employs over 1700 associates with 8 manufacturing facilities strategically located across the country. Headquartered in Mount Pleasant, TX, Big Tex Trailers manufactures over 75,000 units every year, a testament to the quality of our units. When you look at our products, you will quickly see why our trailers work harder and last longer.





















