

SNOWDOGG® SNOW PLOWS





SEE THE COMPLETE LINE OF SNOWDOGG® PLOWS AT

www.BuyersProducts.com

SNOW PLOW SPECIFICATIONS

	6					W.N.				8						3
	MODEL	WIDTH	BLADE HEIGHT	MATERIAL	THICKNESS	ANGLE CYLINDERS	LIFT CYLINDER	KINGPIN SIZE	WIDTH AT ANGLE	RIBS	SPRINGS	TRIP STYLE	CUTTING EDGE	WEIGHT ¹	DEFLECTOR	SHOES
and the	Medium Duty Plows (pg. 16-17)															
	MD68	80"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	69.2"	6	2	Full	3/8" x 6"	380 lb	Std.	Cast
	MD75	90"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	78"	8	2	Full	3/8" x 6"	400 lb	Std.	Cast
	MD80	96"	24"	SS	.075"	1½" x 10"	1½" x 6"	1"	83"	10	2	Full	1/2" x 6"	439 lb	Std.	Cast
1	Heavy Duty Plows (pg. 6-7)															
	HD75II	90"	29"	SS	.105"	1½" x 12"	2" x 6"	11/8"	78"	9	4	Full	3/8" x 6"	680 lb	Std.	Cast
y.	HD80II	96"	29"	SS	.105"	1½" x 12"	2" x 6"	11/8"	83"	9	4	Full	3/8" x 6"	700 lb	Std.	Cast
						Medium [Outy V Pl	ow (p	g. 18-1	9)						
	VMD75	90"	26"/33"	SS	.075"	1½" x 1¾" x 12"	1½" x 6"	1"	78"	6	4	Edge	3/8" x 6"	700 lb	Std.	Opt.
4						Commerci	ial Duty F	Plows	(pg. 8-	-9)						
7	EX75II	90"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	78"	9	4	Full	1/2" x 6"	745 lb	Std.	Cast
W	EX80II	96"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	83"	9	4	Full	1/2" x 6"	765 lb	Std.	Cast
ł	EX85II	102"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	88.3"	9	4	Full	1/2" x 6"	785 lb	Std.	Cast
ı	EX90II	108"	31"	SS	.105"	1½" x 12"	2" x 6"	11//8"	93.5"	9	4	Full	1/2" x 6"	805 lb	Std.	Cast
'n,					0	commercial Dut	ty Trip Ed	lge Pl	ows (p	g. 10	-11)					
1	TE75II	90"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	78"	8	4	Edge	3/8"" x 6"	705 lb	Std.	Cast
	TE80II	96"	31"	SS	.105"	1½" x 12"	2" x 6"	11/8"	83"	8	4	Edge	1/2" x 6"	772 lb	Std.	Cast
H.	TE90II	108"	31"	SS	.105"	1½" x 12"	2" x 6"	11//8"	94"	8	4	Edge	1/2" x 6"	812 lb	Std.	Cast
						Commercial	Duty V	Plows	(pg. 12	2-13)						
ř	VXF85II	102"	29"/37"	SS	.105"	1½" x 1¾" x 12"	2" x 6"	1"	88"	8	4	Edge	1/2" x 6"	978 lb	Std.	Opt.
Ĕ.	VXF95II	114"	29"/37"	SS	.105"	1½" x 1¾" x 12"	2" x 6"	1"	99"	8	4	Edge	1/2" x 6"	998 lb	Std.	Opt.
h						Expandabl	e Wing P	Plow (p	g. 20-	21)						
	XP810	96"-120"	29"	SS	.105"	1½" x 12"	2" x 6"	11/⁄8"	104"	9	4	Full	1/2" x 6"	1021 lb	Std.	Cast
						UTV	Plows (p	g. 14-	15)							
9	VUT65	78"	25"/31"	SS	.075"	1½" x 1¾" x 8"	1½" x 6"	11/8"	60"	6	2	Edge	1/4" x 5"	400 lb	N/A	Opt.
	MUT60	72"	24"	SS	.075"	2" x 1½"	1½" x 6"	1"	63"	6	2	Full	1/4" x 5"	310 lb	Opt.	Cast
	MUT68	80"	24"	SS	.075	2" x 1½"	1½" x 6"	1"	69"	6	2	Full	3/8" x 6"	360 lb	Opt.	Cast
						Commercial /	Municip	al Plov	v (pg.	22-23	3)					
	CM100	120"	31"	SS	.105"	2" x 12"	2" x 6"	11/8"	104"	10 ²	6	Full	5/8" x 6"	1084 lb	Std.	Cast
						Skid Sto	eer Plows	s (pg. :	24-25)							
	SKTE75	90"	31"	SS	.105"	1½" x 12"	N/A	1 ½16"	78"	8	4	Edge	1/2" x 6"	781 lb	Std.	Cast
	SKTE80	96"	31"	SS	.105"	1½" x 12"	N/A	1 ½16"	83"	8	4	Edge	1/2" x 6"	848 lb	Std.	Cast
	SKTE90	108"	31"	SS	.105"	1½" x 12"	N/A	11/16"	94"	8	4	Edge	1/2" x 6"	888 lb	Std.	Cast
	¹ Weight	Not Includir	ng Truck Mo	ount, 4	0-80lbs	. Typical Weight; ² 2	? Are Diagor	nal								

The Next Generation of Plows HDII / EXII / TEII / VXFII HIGHLIGHTS

1 Floating A-Frame[™]

Contours road for close scraping.

Designed for evenly balanced cutting edge wear.

Outstanding performance at every mounting height.





NEW

2 Quick Mount II+™

Integrated swing down feet (no need for a jack).
"Jack Switch" uses plow's hydraulics to fine-tune lift
frame height for smooth mounting alignment with truck.









3 Standard Heavy Duty Shock Kit on HD/EX Plows

Cushions trip action.
Protects components.
Standard on HD// & EX//.



4 Municipal Style Chain Lift

Single chain design.
Easy to adjust.
High stacking capacity.



5 Fully Enclosed Hydraulic Power Unit

Protected from the elements and easily accessible for maintenance.

Robust hoses, cartridge valves, and valve manifold for optimal performance.



6 Ergonomic In-Cab Controller

Backlit single button control for scoop, V, and angle functions.









Quick Mount II+™ with Jack Switch

No need for a jack with integrated, swing down feet.

Floating A-Frame™

Contour the road for clean scraping and even cutting edge wear.

Municipal Style Chain Lift

Stack high and adjust easily.

Fully Enclosed Hydraulic Power Unit Gain easy access via large maintenance panel.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge

An investment that will last.

INCLUDED ACCESSORIES

Heavy Duty Shock Kit

Contoured Poly Snow Deflector

Cast Shoes

Wire Reinforced Blade Guides

Dual Beam Halogen Plow Lights

Backlit Controller Single hand operation



NEW Jack Switch

Uses plow's hydraulics to fine-tune lift frame height for smooth mounting alignment with truck.



Optional Wings - Part No. | 16021510

Add a full 2' of width to your plow with the HD Series Plow Wing Kit. Wings rotate behind plow for easy stowage--no lifting required. Pin shears upon impact to protect from



Central Hydraulic-Operated Lift Frame Available



Quick Mount II+™ with Jack Switch

No need for a jack with integrated, swing down feet.

Floating A-Frame™

Contour the road for clean scraping and even cutting edge wear.

Municipal Style Chain Lift

Stack high and adjust easily.

Fully Enclosed Hydraulic Power Unit

Gain easy access via large maintenance panel.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge An investment that will last.

INCLUDED ACCESSORIES

Heavy Duty Shock Kit

Contoured Poly Snow Deflector

Cast Shoes

Wire Reinforced Blade Guides

Dual Beam Halogen Plow Lights

Backlit Controller Single hand operation



NEW Jack Switch

Uses plow's hydraulics to fine-tune lift frame height for smooth mounting alignment with truck.



Optional Wings - Part No. | 16021610

Add a full 2' of width to your plow with the EX Series Plow Wing Kit. Wings rotate behind plow for easy stowage--no lifting required. Pin shears upon impact to protect from damage.



Central Hydraulic-Operated Lift Frame Available



Trip Edge Design

Allows for plowing over obstacles. Great for gravel, dirt, or uneven roads.

Quick Mount II+TM with Jack Switch
No need for a jack with integrated, swing down feet.

Floating A-Frame™

Contour the road for clean scraping and even cutting edge wear.

Municipal Style Chain Lift Stack high and adjust easily.

Fully Enclosed Hydraulic Power Unit Gain easy access via large maintenance panel.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge* An investment that will last.

Central Hydraulic-Operated Lift Frame Available

*3/8" Steel Cutting Edge on TE75II

INCLUDED ACCESSORIES

Contoured Poly Snow Deflector

Cast Shoes

Wire Reinforced Blade Guides


Dual Beam Halogen Plow Lights

Backlit Controller Single hand operation



NEW Jack Switch

Uses plow's hydraulics to fine-tune lift frame height for smooth mounting alignment with truck.









Trip Edge Design

Allows for plowing over obstacles. Great for gravel, dirt, or uneven roads.

Standard Double Acting Angle Cylinders Back drag with ease.

Quick Mount II+TM with Jack Switch
No need for a jack with integrated, swing down feet.

Floating A-Frame™

Contour the road for clean scraping and even cutting edge wear.

Municipal Style Chain Lift Stack high and adjust easily.

Fully Enclosed Hydraulic Power Unit Gain easy access via large maintenance panel.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge

INCLUDED ACCESSORIES

Contoured Poly Snow Deflector

Wire Reinforced Blade Guides

Dual Beam Halogen Plow Lights


Backlit Controller

Switch from V to scoop or angled positions with one button, or maintain independent wing control for finer adjustments.




NEW Jack Switch

Uses plow's hydraulics to fine-tune lift frame height for smooth mounting alignment with truck.









Weight Optimized for UTVs

Get the power of a SnowDogg[™] professional plow that will fit most full-size UTVs.

Fast-Acting Hydraulic Power Unit Hydraulic angle, lift, and wing control for UTV plows.

304 Stainless Steel Moldboard & 3/8" Steel Cutting Edge An investment that will last.

Narrow Width at Angle Available at a minimum of 63" with blade at angle.

Full Trip (MUT) or Trip Edge (VUT) Design Feel confident, even when you can't see what's below the snow.

VUT SPECIFIC FEATURES

Double Acting Angle Cylinders Back drag with ease.

Flared Wings

Throw snow powerfully.

Narrow Width at "V" position VUT65 has a 60" width in "V" position

for narrow sidewalks.

INCLUDED ACCESSORIES

Wire Reinforced Blade Guides

Controller

Single hand operation.



Power Unit / Hydraulics

Equipped with full size SAE cartridge valves, oversized rubber hoses, and integral valve manifold.



Angle Cylinders

Standard 1-1/2" x 8" double acting angle cylinders allow for real back dragging.





Full Size Features with Half the Weight

Weight optimized for 1/2 ton trucks or SUVs (even with no plow prep).

Six 3/16" Laser-Cut Steel Ribs and a Full-Length Cross Tube Provides maximum strength and stability across the length of the plow.

304 Stainless Steel Moldboard & 3/8" Steel Cutting Edge* Built with high-end materials and components for longevity.

1-1/2" x 10" Angle Cylinders and Heavy Duty Lift Cylinder For responsive angling, and 30° of travel.

INCLUDED ACCESSORIES

Contoured Poly Snow Deflector

Cast Plow Shoes

Wire Reinforced Blade Guides

Dual Beam Halogen Plow Lights

In-Cab Controller Single hand operation



Angle Cylinders

1-1/2" x 10" cylinders for responsive angling.



Jack Stand

Adjustable / removable jack stand allows for maximum flexibility for a wide range of mounting conditions and surfaces.



Lift Frame

Contoured lift frame for ground clearance.



^{*1/2&}quot; Steel Cutting Edge on MD80



Power and Versatility of Full Size V Weight optimized for lighter trucks.

Flared WingsFor excellent throwing and clearing action.

304 Stainless Steel Moldboard & 3/8" Steel Cutting Edge Built with high-end materials and components for longevity.

Standard Double Acting Angle Cylinders Back drag with ease.

Trip Edge Design

18

For smooth plowing over hidden obstacles.

INCLUDED ACCESSORIES

Contoured Poly Snow Deflector Wire Reinforced Blade Guides Dual Beam Halogen Plow Lights

In-Cab Controller One hand operation.



Double Acting Angle Cylinders

1-1/2" x 12" angle cylinders allow for real back dragging.



Jack Stand

Adjustable / removable jack stand allows for maximum flexibility for a wide range of mounting conditions and surfaces.



Optional Plow Shoe Kit Part No. | 16021750





Hydraulically Expanding WingsAdd a full 24" to your plowing width (8'-10').

Wings Adjust on the Fly Slim down width for easy transport between jobs.

Tubular A-Frame

Invest in a stout, long-lasting design.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge Built with high-end materials and components for longevity.

Scoop Position

Even at 10', wings scoop forward.

Central Hydraulic-Operated Lift Frame Available

INCLUDED ACCESSORIES

Contoured Belted Rubber Snow Deflector

Cast Shoes

Wire Reinforced Blade Guides

Dual Beam Halogen Plow Lights

In-Cab Controller



Heavy Duty Lift Arm and Cylinder

Lift arm with heavy duty 2" x 6" lift cylinder and 35° travel provides exceptional snow stacking.



Optional Shock Kit - Part No. | 16101550 Helps prevent excessive tripping, cushioning the trip action and return. Protects plow components and features drill-free installation.





31" High / 120" Wide Moldboard
Makes the CM a powerful snow mover for commercial and municipal applications.

8 Vertical and 2 Diagonal Ribs

Create robust strength to handle heavy, wet snow.

304 Stainless Steel Moldboard & 5/8" Steel Cutting Edge An investment that will last.

6 Stress-Optimized Trip Springs

Provide up to 85° of smooth full-moldboard trip action.

INCLUDED ACCESSORIES

Heavy Duty Belted Rubber Snow Deflector

Wire Reinforced Blade Guides

Cast Plow Shoes

Adjustable/Removable Jack Stand

Dual Beam Halogen Plow Lights

Controller




2" x 12" Angle Cylinder

Delivers greater angling force than standard cylinders.

Heavy Duty Lift Arm and Cylinder Lift arm with heavy duty 2" x 6" lift cylinder

and 35° travel provides exceptional snow stacking.



Central Hydraulic-Operated Lift Frame Available



Universal Skid Steer Mount Easily mount to any skid steer.

Hydraulic Angle CylindersWork with skid steers' existing hydraulic lines for responsive maneuverability.

Trip Edge DesignTo respond to hidden divots and obstacles.

304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge An investment that will last.

Contoured Poly Snow Deflector Wire Reinforced Blade Guides Cast Plow Shoes





1/2" x 12" Angle Cylinders Provide greater angling force than standard cylinders.



Optional Wings - Part No. | 16021310 Add a full 2' of width to your plow with



NOWDOGG® AUTHORIZED ACCESSORIES

Cutting Edges



Rubber Deflectors



Part No.	Description
16120157	Deflector, 90" Rubber
16120159	Deflector, 96" Rubber
16120161	Deflector, 102" Rubber
16120163	Deflector, 108" Rubber
16120164	Deflector, 120" Rubber
16120171	Deflector, VXF85, Rubber
16120173	Deflector, VXF95, Rubber

Back Drag Edges



Part No.	Description
16124010	Back Drag Edge, MD68
16124020	Back Drag Edge, 7.5' MD/HD/EX
16124030	Back Drag Edge, 8' MD/HD/EX
16124040	Back Drag Edge, 8.5' EX85
16124050	Back Drag Edge, 9' EX90

Maintenance



Part No.	Description					
16109020	Emergency Kit for					
10109020	Straight Blade Plow					
16109030	Emergency Kit for					
10109030	V-Plow					
16150010	Hydraulic Fluid,					
10130010	12 QTS Case					

8892200

Mini Lightbars



Part No.	Description
8891040	24 LED Amber Lightbar, Multi Mount
8891060	56 LED Amber Lightbar
8891080	40 LED Amber Lightbar

Grill Mounted Strobes



SIND WITH WALWINSON	8892800
---------------------	---------

Part No.	Description			
8892200	6 LED 5.14" Amber Strobe Light			
8892800	6 LED 5" Amber Strobe Light			
8892200 series and 8892800 series available in other colo				













Our Corporate Family of Companies





Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.











History

liacom

Buyers

Buyers moved its corporate headquarters

2002

2007

1992

Buyers acquired Trailer Components Manufacturing (Tracom) for CNC precision machining and tooling, as well as state-of-the-art

PROGRESSIVE

Our Nordson autom is used to powder coat our Buyers toolboxes and other truck and trailer



Romorech

Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed used to manufacture our



Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer



2013 Buyers acquired an additional 500,000 sq.ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing. SaltDogg





Buyers establishes a 22,000 sq ft Engineering Tech Center in Mentor, Ohio It's multi-use lab design, training and prototyping space is dedicated to the research and development of innovative product.



Buyers launches new website with business partner portal, to make online ordering and account maintenance

The Buyers family of manufacturing companies









www.buyersproducts.com









